

FRONTIER"



- Patented Only available from Garmat USA®
- Most Advanced Downdraft Air Flow
- No Pit Required
- Save Valuable Floor Space
- Two Models to choose from
- Lower Installation Costs

USA USA

Karel DeRegge - Owner of Garmat® USA has been designing spray booths for over 30 years. He has designed, patented and is now introducing what he terms as the "optimal spray booth". The Frontier™ is a technological break through in that it has the most advanced air flow of any booth on the market today. It is a self contained pit-less downdraft spray booth which minimizes the required shop floor space.

There are two models available.

SELF CONTAINED DOWNDRAFT SPRAY BOOTH



Savings Available with the NEW Frontier Downdraft Spray Booth

Installation Cost - NO PIT

Shop Floor Space - NO SEPARATE AIR MAKE UP UNIT

Cabin Foot Print Only

Maintenance Cost - Time Savings - EXHAUST FILTERS

Easily Changed by One Person Less Overspray Build Up on Exhaust Fan

NO GRATES TO REMOVE

Reduce Workman's Comp Claims

Faster Temperature Rise - DIRECT FIRED BURNER

98% Efficient No Concrete Pit Faster to Bake Temperature

Recycle on Bake - REDUCES FUEL COST

75% to 80% Recycle on Bake Minimum 20% Fresh Air on Bake




FRONTIER

QUALITY RELIABILITY PERFORMANCE

EASY ACCESS


• No Grates to Move

FILTERS



TURBO FAN

- Easily Adjustable Air Flow
- Reduces Overspray Buildup
- Requires Minimal Service



DIRECT FIRED BURNERS

- 98% Efficient
- Rapid Temperature Rise
- Lower Emissions


PREMIUM LIGHTING

- Color Matching
- · Easy Serviceability
- Placement for Best Illumination

INSULTED PANELS

- Prevent Heat Loss
- Greater Efficiency
- Quieter Operation





TOUCH SCREEN CONTROLLER

(OPTIONAL)

- Accommodates User Preferences
- Alerts Maintenance Times
- Simple Easy to Use



Shown with optional drive-thru doors.

FRONTIER

FEATURES	STAT	DELL
27' Length	STD	STD
24' Length	OPT	OPT
31' Length	OPT	OPT
Heat 997,000 BTU Burner with Standard Remote	OPT	STD
2 - 5 HP Intake Motors	STD	STD
1 - 10 HP Exhaust Motor w/Soft Start	STD	STD
10 - Hip Interior Accessible Light Fixtures	STD	STD
10 - Interior Accessible		
Side Wall Light Fixtures	OPT	STD

STD Standard Feature
OPT Optional Feature
- Not Available

Standard model can be upgraded with heat at a later date.



Side Wall Lights


24' Length: 8 Fixtures Maximum 27' Length: 10 Fixtures Maximum 31' Length: 12 Fixtures Maximum

1 Rear Celing Interior

Accessible Light Fixture	STD	STD
10' Wide 8' 10" High Tri Fold Vehicle Entrance Doors	STD	STD
Drive Thru Doors 9' Wide Tri-Fold	OPT	OPT
Side Service Door		
(Drive In/ Back Out)	STD	STD
Double Skin		
Fully Insulated Wall Panels	STD	STD
Single Skin Wall Panels	OPT	
Powder Coated		
Interior and Exterior	STD	STD
Touch Screen Control Panel	OPT	OPT

ADVANTAGES

- Full Recycle*
- Rapid Temperature Rise*
- Easy access to exhaust filters
- No pit construction saves money on excavation
- Energy efficiency because there is no heat loss due to an in ground pit*
- Soft Start on the Exhaust Motor. Soft Start extends motor life and saves energy
- Quiet Operation
- * On booths with Heat option.





1401 W. Stanford, Englewood, Colorado 80110 **Phone: (800) 442-7628** Fax: 303-781-2683 www.garmat.com

Garmat® USA reserves the right to modify or change any of the technical features mentioned in this brochure. ©2004 Garmat® USA